

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 Issue date: 6/12/2023 Version: 1.0

Product name       : ALMOND FLAVOUR AM-0825         Product code       : AMAN-AM0825         1.2. Relevant identified uses of the substance or mixture and uses advised against	SECTION 1: Ide	ntification of the substand	ce/mixtu	re and of the company/u	ndertaking		
Product name       : ALMOND FLAVOUR AM-0825         Product code       : ANAM-AM0825         1.2. Relevant identified uses of the substance or mixture and uses advised against	1.1. Product ider	ntifier					
Product code       : AMANI-AM0825         1.2. I. Relevant identified uses       industrial use, Professional use         1.2.1. Statistical to the supplier of the safety data sheet       setting of the supplier of the safety data sheet         Selectardom SAS       Selectardom SA       setting of the Aromagrasse Re-06130 GMArcel Pagnol PA Aromagrasse         FRANCE       To 433 36 222 - F 60 493.40.71.72       regenerating @yelectarome.com         1.0. Selectardom Common common       Address       Emergency number       Comment         1.0. Aromagrasse       Fast       Hatres Pagnol PA Aromagrasse       Fast       Selectardom Selectarom Selecta	Product form			: Mixture			
1.2. Relevant identified uses of the substance or mixture and uses advised against 1.2.1. Relevant identified uses Main use category industrial use, Professional use 1.2.2. Uses advised against No additional information available 1.3. Details of the supplier of the safety data sheet Selectarome SAS SE dd Marcel Pagnol PA Aromagrasse RFA oE130 GRASSE RFANCE 104.933 62.2.2.2 + F04.93.40.71.72 reglementalse@Selectarome.com 1.4. Emergency telephone number Country Organisation/Company Address Emergency number Cassification of the substance or mixture Classification of Regulation (EC) No. 1272/2008 [CLP] Finambel liquid, Category 2 H319 Fill text of H- and EUH-statements: see section 15 Adverse physicochemical, human healt hand environmental effects Highh fammable liquid and vapour. Causes serious eye irritation. 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Haaard pictograms (CLP) EVENTION Category 2 H325 Signal word (CLP) EDERGE Sign	Product name			ID FLAVOUR AM-0825			
1.1.1. Relevant identified uses Main use category : Industrial use, Professional use 1.2.2. Uses advised against No additional information available 1.3. Details of the supplier of the safety data sheet Selectratione SAS 45 Bd Marcel Pagnol PA Aromagrasse FRANCE To 433 36 222 2.7 f0 4.93 40.71.72 reglementatine & Selectratione .com 1.4. Emergency Telephone number Country organisation/Company Address Emergency number Comment 1.4. Emergency Telephone number Country organisation/Company Address FRANCE 2.1. Classification of the substance or mixiture Classification of the substance or mi	Product code		: AMAN-	AM0825			
Main use category : industrial use, Professional use 1.2.2. Uses advised against No additional information available 1.3. Details of the supplier of the sofety data sheet Selectariome SAS 58 Bd Marcel Pagnol PA Aromagrasse FR-06130 GRNSS E FRANCE Tod 33 36.22 2.2 F 04.93.40.71.72 reglementaire@selectariome.com 1.4. Emergency telephone number Country Organisation/Company Address Emergency number Comment France ORFILA Company Address Emergency number Comment France ORFILA Begulation (EC) No. 1272/2008 [CLP] Flammable liquids, Category 2 H325 Serious eye damage/eye irritation, Category 2 H325 Serious eye damage/eye irritation, Category 2 H319 Full text of H - and EUH-statements: see section 16 Adverse physicochemical, human health and environmental effects Highly flammable liquid and vapour. Causes serious eye irritation. 2.2. Label elements: Labelling according to Regulation (EC) No. 1272/2008 [CLP] Haard pictograms (CLP) : Danger Hazad statements (CLP) : Danger Hazad statements (CLP) : Pictor : Danger Hazad statements (CLP) : Pictor : Pigliby flammable liquid and vapour. H319 - Causes serious eye irritation. Precautionary statements (CLP) : Pictor : Pigliby flammable liquid and vapour. H319 - Causes serious eye irritation. Precautionary statements (CLP) : Pictor : Pigliby flammable liquid and vapour. H319 - Causes serious eye irritation. Precautionary statements (CLP) : Pictor : Pigliby flammable liquid and vapour. H319 - Causes serious eye irritation. Precautionary statements (CLP) : Pictor : Pigliby flammable liquid and vapour. H319 - Causes serious eye irritation. Precautionary statements (CLP) : Pictor : Pigliby flammable liquid and vapour. H319 - Causes serious eye irritation. Precautionary statements (CLP) : Pictor : Pigliby flammable liquid and vapour. H319 - Causes serious eye irritation. Precautionary statements (CLP) : Pictor : Pigliby flammable liquid and vapour. H319 - Causes serious eye irritation. Pictor : Pictor : Pictor : Pictor : Pictor : Pictor : Pictor	1.2. Relevant ide	entified uses of the substanc	e or mixtu	re and uses advised against			
1.2.2. Uses advised against No additional information available 3.3. Details of the supplier of the safety data sheet Sélectarôme SAS 8 Bd Marcel Pagnol PA Aromagrasse FR- 06130 GRASSE FRANCE 104.93.36.22.22 - F 04.93.40.71.72 reglementaire@selectarome.com 1.4. Emergency telephone number Country Organisation/Company Address Emergency number Comment France ORFILA - +33.145.42.59.59 SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Flammable liquid, Category 2 H225 Serious eye damage/eye irritation, Category 2 H319 Full text of H - and EUH-statements: see section 16 Adverse physicochemical, human health and environmental effects Highly flammable liquid and vapour. Causes serious eye irritation. 2.1. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard bictograms (CLP) : Danger Hazard statements (CLP) : Danger Hazard statements (CLP) : P10 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Precautionary statements (CLP) : P10 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P280 - Wear protective gloves, protective clothing, eye protection, face protection. P280 - Wear protective gloves, protective clothing, eye protection, face protection. P280 - Wear protective gloves, protective clothing, eye protection, face protection. P280 - Wear protective gloves, protective clothing, eye protection, face protection. P280 - Wear protective gloves, protective clothing, eye protection, face protection. P280 - Wear protective gloves, protective clothing, eye protection. P280 - Wear protective gloves, protecti	1.2.1. Relevant ide	entified uses					
No additional information available         1.3. Details of the supplier of the safety data sheet         Selectarione SA         \$5 Bd Marcel Pagnol PA Aromagrasse         FR- 06130 GRASSE         FRANCE         T0 4.93, 36, 22, 22 - F 04, 93, 40, 71, 72         regenentative geolectarone com         Intermeter Selectarone Com         Intermeter Selectarone Com         Country       Organisation/Company       Address       Emergency number       Comment         France       ORFILA       +33 1 45 42 59 59       Intermeter         Sector Selectarone Commeter         Sector Selectarone Commeter         Country       Organisation/Company       Address       Emergency number       Comment         Sector Selectarone Commeter         Sector Segulation (CC) No. 1272/2008 [CLP]         Flammable liquid, category 2       H225         Sector Secto	Main use category		: Industri	ial use, Professional use			
1.3. Details of the supplier of the safety data sheet         Sélectarôme SAS         8 B MArcel Pagnol PA Aromagrasse         PR-06130 GRASSE         FRANCE         T04.93.36.22.22 - F 04.93.40.71.72         reglementaire@selectarome.com         1.4. Emergency telephone number         Country       Organisation/Company       Address       Emergency number       Comment         France       ORFILA       +33 145 42 59 59           SECTION 2: Hazards identification        +33 145 42 59 59           Stefation according to Regulation (EC) No. 1272/2008 [CLP]       Finamable liquids, Category 2       H225	1.2.2. Uses advise	d against					
Sélectarôme SAS         45 Bd Marcel Pagnol PA Aromagrasse         FN-06130 GRASSE         FRANCE         T0 4,93,36,22,22 - F 04,93,40,71,72         regginemelaire@selectarome.com <b>1.4. Emergency telephone number</b> Country       Organisation/Company       Address       Emergency number       Comment         France       ORFILA       +33 1 45 42 59 59       Image: Second Seco	No additional infor	mation available					
45 Bd Marcel Pagnol PA Aromagrasse FR- 06130 GRASSE FRANCE T 04.93.36.22.22 - F 04.93.40.71.72 reglementaire@selectarome.com 1.4. Emergency telephone number Country Organisation/Company Address Emergency number Comment France ORFILA - 31 45 42 59 59 SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Flammable liquids, Category 2 H225 Serious eye damage/eye irritation, Category 2 H319 Full text of H- and EUH-statements: see section 16 Adverse physicochemical, human health and environmental effects Highly flammable liquid and vapour. Causes serious eye irritation. 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) : Danger Hazard statements (CLP) : Danger Hazard statements (CLP) : H225 - Highly flammable liquid and vapour. H319 - Causes serious eye firritation. Precautionary statements (CLP) : H225 - Highly flammable liquid and vapour. H319 - Causes serious eye irritation. Precautionary statements (CLP) : H225 - Highly flammable liquid and vapour. H319 - Causes serious eye protective clothing, eye protection, face protection. Precautionary statements (CLP) : P337+P313 - If eye irritation. 2.3. Other hazards	1.3. Details of th	e supplier of the safety data	sheet				
Country         Organisation/Company         Address         Emergency number         Comment           France         ORFILA         +33 1 45 42 59 59	45 Bd Marcel Pagn FR– 06130 GRASSE FRANCE T 04.93.36.22.22 -	F 04.93.40.71.72					
France       ORFILA       +33 1 45 42 59 59         SECTION 2: Hazards identification         2.1. Classification of the substance or mixture         Classification according to Regulation (EC) No. 1272/2008 [CLP]         Flammable liquids, Category 2       H225         Serious eye damage/eye irritation, Category 2       H319         Full text of H- and EUH-statements: see section 16       Adverse physicochemical, human health and environmental effects         Highly flammable liquid and vapour. Causes serious eye irritation.       2.2. Label elements         Labelling according to Regulation (EC) No. 1272/2008 [CLP]       Hazard pictograms (CLP)         Signal word (CLP)       : Danger         Hazard statements (CLP)       : Danger         Hazard statements (CLP)       : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.         Precoutionary statements (CLP)       : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.         P280 - Wear protective gloves, protective clothing, eye protection. p337+P313 - If eye irritation persists: Get medical advice/attention.         2.3. Other hazards       Hazard statements	1.4. Emergency	elephone number					
SECTION 2: Hazards identification         2.1. Classification of the substance or mixture         Classification according to Regulation (EC) No. 1272/2008 [CLP]         Flammable liquids, Category 2       H225         Serious eye damage/eye irritation, Category 2       H319         Full text of H- and EUH-statements: see section 16       Adverse physicochemical, human health and environmental effects         Highly flammable liquid and vapour. Causes serious eye irritation.       Z.2. Label elements         Labelling according to Regulation (EC) No. 1272/2008 [CLP]       Hazard pictograms (CLP)         Hazard pictograms (CLP)       :	Country	Organisation/Company		Address	Emergency number	Comment	
2.1. Classification of the substance or mixture         Classification according to Regulation (EC) No. 1272/2008 [CLP]         Flammable liquids, Category 2       H225         Serious eye damage/eye irritation, Category 2       H319         Full text of H- and EUH-statements: see section 16       Adverse physicochemical, human health and environmental effects         Highly flammable liquid and vapour. Causes serious eye irritation.       Z.2. Label elements         2.2. Label elements       Eabelling according to Regulation (EC) No. 1272/2008 [CLP]         Hazard pictograms (CLP)       :         GHS02       GHS07         Signal word (CLP)       : Danger         Hazard statements (CLP)       : H225 - Highly flammable liquid and vapour. H319 - Causes serious eye irritation.         Precautionary statements (CLP)       : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P280 - Wear protective gloves, protective clothing, eye protection, face protection. P337+P313 - If eye irritation persists: Get medical advice/attention.	France	ORFILA			+33 1 45 42 59 59		
Labelling according to Regulation (EC) No. 1272/2008 [CLP]         Hazard pictograms (CLP)       :         Signal word (CLP)       :         Hazard statements (CLP)       :         Hazard statements (CLP)       :         Precautionary statements (CLP)       :         Precautionary statements (CLP)       :         Precautionary statements (CLP)       :         P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.         P280 - Wear protective gloves, protective clothing, eye protection, face protection.         P337+P313 - If eye irritation persists: Get medical advice/attention.	Classification acco Flammable liquids, Serious eye damag Full text of H- and Adverse physicoch Highly flammable l	rding to Regulation (EC) No. 12 Category 2 e/eye irritation, Category 2 EUH-statements: see section 16 memical, human health and envi iquid and vapour. Causes seriou	72/2008 [Cl	H225 H319 effects			
Hazard pictograms (CLP)       : <td>Z.Z. Label eleme</td> <td>nts</td> <td></td> <td></td> <td></td> <td></td>	Z.Z. Label eleme	nts					
Signal word (CLP): DangerHazard statements (CLP): H225 - Highly flammable liquid and vapour. H319 - Causes serious eye irritation.Precautionary statements (CLP): P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P280 - Wear protective gloves, protective clothing, eye protection, face protection. P337+P313 - If eye irritation persists: Get medical advice/attention.2.3. Other hazards	0			502 GHS07			
Hazard statements (CLP)       : H225 - Highly flammable liquid and vapour. H319 - Causes serious eye irritation.         Precautionary statements (CLP)       : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P280 - Wear protective gloves, protective clothing, eye protection, face protection. P337+P313 - If eye irritation persists: Get medical advice/attention.         2.3. Other hazards	Signal word (CLP)						
sources. No smoking. P280 - Wear protective gloves, protective clothing, eye protection, face protection. P337+P313 - If eye irritation persists: Get medical advice/attention. <b>2.3. Other hazards</b>	•			: H225 - Highly flammable liquid and vapour.			
	Precautionary stat	sources. No smoking. P280 - Wear protective gloves, protective clothing, eye protection, face protection.				n, face protection.	

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## **SECTION 3: Composition/information on ingredients**

## 3.1. Substances

## Not applicable

## 3.2. Mixtures

		0/	
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
ethanol; ethyl alcohol	CAS-No.: 64-17-5 EC-No.: 200-578-6 EC Index-No.: 603-002-00-5	10 – 15	Flam. Liq. 2, H225 Eye Irrit. 2, H319
butanedione / diacetyl substance with a Community workplace exposure limit	CAS-No.: 431-03-8 EC-No.: 207-069-8	< 0.1	Flam. Liq. 2, H225 Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Acute Tox. 3 (Inhalation), H331 (ATE=0.5 mg/l/4h) Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 STOT RE 2, H373
isopentyl acetate substance with a Community workplace exposure limit	CAS-No.: 123-92-2 EC-No.: 204-662-3 EC Index-No.: 607-130-00-2 REACH-no: 01-2119548408- 32	< 0.1	Flam. Liq. 3, H226 EUH066

Full text of H- and EUH-statements: see section 16

# SECTION 4: First aid measures 4.1. Description of first aid measures First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. First-aid measures after skin contact : Rinse skin with water/shower. Take off immediately all contaminated clothing. First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell. 4.2. Most important symptoms and effects, both acute and delayed

4.2. Most important symptoms and effects, both acute and dela

Symptoms/effects after eye contact

: Eye irritation.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures 5.1. Extinguishing media	
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
5.2. Special hazards arising from the substand	ce or mixture
Fire hazard	: Highly flammable liquid and vapour.
Hazardous decomposition products in case of fire	: Toxic fumes may be released.
5.3. Advice for firefighters	
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006

SECTION 6: Accidental release mease	ures			
6.1. Personal precautions, protective equipment and emergency procedures				
6.1.1. For non-emergency personnel				
Emergency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes.			
6.1.2. For emergency responders				
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".			
6.2. Environmental precautions				
Avoid release to the environment.				
6.3. Methods and material for containm	ient and cleaning up			
Methods for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.			
Other information	: Dispose of materials or solid residues at an authorized site.			
6.4. Reference to other sections				

For further information refer to section 13.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion- proof equipment. Wear personal protective equipment. Avoid contact with skin and eyes.
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, inclu	ding any incompatibilities
Technical measures	: Ground/bond container and receiving equipment.
Storage conditions	: Store in a well-ventilated place. Keep cool. Keep container tightly closed.
7.3. Specific end use(s)	

No additional information available

S	EC	TIO	N 8	: Ex	posure	control	s/	personal	protection	
~		-								

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

isopentyl acetate (123-92-2)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	Isopentylacetate	
IOEL TWA	270 mg/m <sup>3</sup>	
IOEL TWA [ppm]	50 ppm	
IOEL STEL	540 mg/m <sup>3</sup>	
IOEL STEL [ppm]	100 ppm	
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC	
butanedione / diacetyl (431-03-8)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	Diacetyl; Butanedione	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006

butanedione / diacetyl (431-03-8)		
IOEL TWA	0.07 mg/m <sup>3</sup>	
IOEL TWA [ppm]	0.02 ppm	
IOEL STEL	0.36 mg/m <sup>3</sup>	
IOEL STEL [ppm]	0.1 ppm	
Regulatory reference	COMMISSION DIRECTIVE (EU) 2017/164	

## 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

## 8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

8.2.1. Appropriate engineering controls

## Appropriate engineering controls:

Ensure good ventilation of the work station.

## 8.2.2. Personal protection equipment

## Personal protective equipment symbol(s):



## 8.2.2.1. Eye and face protection

**Eye protection:** Safety glasses

#### 8.2.2.2. Skin protection

Skin and body protection: Wear suitable protective clothing

#### Hand protection:

Protective gloves

## 8.2.2.3. Respiratory protection

**Respiratory protection:** In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards No additional information available

## 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006

9.1. Information on basic physical and chei	mical properties
Physical state	: Liquid
Colour	: Beige to light brown.
Odour	: Characteristic.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: > 36 °C
Flammability	: Highly flammable liquid and vapour.
Explosive limits	: Not available
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: < 60 °C
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
рН	: Not available
Viscosity, kinematic	: Not available
Solubility	: Soluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: 1.04 (1.02 – 1.06)
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

**9.2.1. Information with regard to physical hazard classes** No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity	
10.1. Reactivity	
Highly flammable liquid and vapour.	
10.2. Chemical stability	
Stable under normal conditions.	
10.3. Possibility of hazardous reactions	
No dangerous reactions known under normal conditions of use.	
10.4. Conditions to avoid	
Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.	
10.5. Incompatible materials	
No additional information available	

## **10.6.** Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **SECTION 11: Toxicological information**

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)

: Not classified (Based on available data, the classification criteria are not met)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006

Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation)	: Not classified (Based on available data, the classification criteria are not met)
ethanol; ethyl alcohol (64-17-5)	
LD50 oral rat	15010 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 14450 - 15560
LD50 oral	8300 mg/kg bodyweight Animal: mouse
ATE CLP (oral)	8300 mg/kg bodyweight
isopentyl acetate (123-92-2)	
LD50 dermal rabbit	> 5000 mg/kg bodyweight Animal: rabbit
butanedione / diacetyl (431-03-8)	
LD50 oral rat	1580 mg/kg
LD50 dermal rat	5000 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
ATE CLP (oral)	500 mg/kg bodyweight
ATE CLP (gases)	700 ppmv/4h
ATE CLP (vapours)	3 mg/l/4h
ATE CLP (dust,mist)	0.5 mg/l/4h
Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met)
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
ethanol; ethyl alcohol (64-17-5)	
IARC group	1 - Carcinogenic to humans
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)
ethanol; ethyl alcohol (64-17-5)	
LOAEL (oral, rat, 90 days)	3200 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
NOAEL (oral, rat, 90 days)	1730 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents), Remarks on results: other:
NOAEL (subchronic, oral, animal/male, 90 days)	< 9700 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)
NOAEL (subchronic, oral, animal/female, 90 days)	> 9400 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)
isopentyl acetate (123-92-2)	
NOAEL (subchronic, oral, animal/female, 90 days)	443.07 mg/kg bodyweight Animal: , Animal sex: female
butanedione / diacetyl (431-03-8)	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006

ethanol; ethyl alcohol (64-17-5)		
Viscosity, kinematic 1.488 mm²/s		
isopentyl acetate (123-92-2)		
Viscosity, kinematic 1.176 mm²/s		
11.2. Information on other hazards		

No additional information available

SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short– term (acute)	: Not classified
Hazardous to the aquatic environment, long– term (chronic)	: Not classified
Not rapidly degradable	
ethanol; ethyl alcohol (64-17-5)	
LC50 - Fish [1]	14.2 g/l Test organisms (species): Pimephales promelas
EC50 - Crustacea [1]	> 10000 mg/l Test organisms (species): Daphnia magna
EC50 96h - Algae [1]	≈ 22000 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
ErC50 algae	275 mg/l Source: ECHA
NOEC (chronic)	9.6 mg/l Test organisms (species): Daphnia magna Duration: '9 d'
isopentyl acetate (123-92-2)	
LC50 - Fish [1]	22 – 46 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	42 mg/l Test organisms (species): other:Daphnia magna STRAUS
butanedione / diacetyl (431-03-8)	
LC50 - Fish [1]	88015.43 mg/l Source: Ecological Structure Activity Relationships
EC50 96h - Algae [1]	38624.133 mg/l Source: Ecological Structure Activity Relationships
12.2. Persistence and degradability	
No additional information available	
12.3. Bioaccumulative potential	
ethanol; ethyl alcohol (64-17-5)	
Partition coefficient n-octanol/water (Log Pow)	-0.32 Source: ICSC
isopentyl acetate (123-92-2)	
Partition coefficient n-octanol/water (Log Pow)	2.13 Source: ICSC
butanedione / diacetyl (431-03-8)	
Partition coefficient n-octanol/water (Log Pow)	-1.34
12.4. Mobility in soil	
butanedione / diacetyl (431-03-8)	
Mobility in soil	4.5 Source: HSDB
12.5. Results of PBT and vPvB assessment	
No additional information available	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006

## 12.6. Endocrine disrupting properties

#### No additional information available

## 12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations 13.1. Waste treatment methods	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information	: Flammable vapours may accumulate in the container.

n accordance with ADR / IMDO		
ADR	IMDG	ΙΑΤΑ
14.1. UN number or ID nur	nber	
UN 1197	UN 1197	UN 1197
14.2. UN proper shipping n	ame	
EXTRACTS, LIQUID	EXTRACTS, FLAVOURING, LIQUID	Extracts, liquid
Transport document descript	ion	
UN 1197 EXTRACTS, LIQUID, 3, II, (D/E) F	UN 1197 EXTRACTS, LAVOURING, LIQUID, 3, I	UN 1197 Extracts, liquid, 3, II
14.3. Transport hazard clas	ss(es)	
3	3	3
14.4. Packing group		
II	II	II
14.5. Environmental hazar	ds	
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No
No supplementary information	n available	
14.6. Special precautions fo	or user	
Overland transport		
Classification code (ADR)	: F:	1
Special provisions (ADR)	: 6	01, 640C
imited quantities (ADR)	: 5	
Excepted quantities (ADR)	: E	2
Packing instructions (ADR)	: P	001
Vixed packing provisions (ADR	) : №	IP19
Portable tank and bulk contain (ADR)		4
Portable tank and bulk contain	er special : T	Р1, ТР8

provisions (ADR)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006

according to the REACH Regulation (EC) 1907/2000	
Tank code (ADR)	: L1.5BN
Vehicle for tank carriage	: FL
Transport category (ADR)	: 2
Special provisions for carriage - Operation (ADR)	: \$2, \$20
Hazard identification number (Kemler No.)	: 33
Orange plates	33 1197
Tunnel restriction code (ADR)	: D/E
EAC code	: 3YE
_	
Transport by sea	
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E2
Packing instructions (IMDG)	: P001
IBC packing instructions (IMDG)	: IBC02
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP1, TP8
EmS-No. (Fire)	: F-E
EmS-No. (Spillage)	: S-D
Stowage category (IMDG)	: B
Properties and observations (IMDG)	: Usually consist of alcoholic solutions. Miscibility with water depends upon the composition.

#### Air transport

PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y341
PCA limited quantity max net quantity (IATA)	: 1L
PCA packing instructions (IATA)	: 353
PCA max net quantity (IATA)	: 5L
CAO packing instructions (IATA)	: 364
CAO max net quantity (IATA)	: 60L
Special provisions (IATA)	: A3
ERG code (IATA)	: 3L

## 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## 15.1.1. EU-Regulations

REACH Annex XVII (Restriction List) Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List) Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

## REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

## PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

#### Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

## Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other in	SECTION 16: Other information		
Abbreviations and acronyms:			
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways		
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road		
ATE	Acute Toxicity Estimate		
BCF	Bioconcentration factor		
BLV	Biological limit value		
BOD	Biochemical oxygen demand (BOD)		
COD	Chemical oxygen demand (COD)		
DMEL	Derived Minimal Effect level		
DNEL	Derived-No Effect Level		
EC-No.	European Community number		
EC50	Median effective concentration		
EN	European Standard		
IARC	International Agency for Research on Cancer		
ΙΑΤΑ	International Air Transport Association		
IMDG	International Maritime Dangerous Goods		
LC50	Median lethal concentration		
LD50	Median lethal dose		
LOAEL	Lowest Observed Adverse Effect Level		
NOAEC	No-Observed Adverse Effect Concentration		
NOAEL	No-Observed Adverse Effect Level		
NOEC	No-Observed Effect Concentration		
OECD	Organisation for Economic Co-operation and Development		
OEL	Occupational Exposure Limit		
РВТ	Persistent Bioaccumulative Toxic		
PNEC	Predicted No-Effect Concentration		
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail		

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006

Abbreviations and acronyms:	
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Full text of H- and EUH-statements:	
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
EUH066	Repeated exposure may cause skin dryness or cracking.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.