

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006

Issue date: 05/05/2023 Revision date: 11/04/2024 Supersedes version of: 05/05/2023 Version: 1.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : ORGANIC STRAWBERRY FLAVOUR FR-0296

Product code · FRAI-FR0296

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

SELECTAROME SAS 45 Bd Marcel Pagnol PA Aromagrasse FR 06130 GRASSE

France

T+33 4.93.36.22.22, F 04.93.40.71.72 reglementaire@selectarome.com

1.4. Emergency telephone number

Country/Area	Organisation/Company	Address	Emergency number	Comment
France	ORFILA		+33 1 45 42 59 59	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP] Flammable liquids, Category 2 H225 Serious eye damage/eye irritation, Category 2 H319 H317 Skin sensitisation, Category 1

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Highly flammable liquid and vapour. May cause an allergic skin reaction. Causes serious eye irritation.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS02

GHS07

Signal word (CLP) : Danger

: Furaneol / 4-hydroxy-2,5-dimethylfuran-2(3H)-one Contains

Hazard statements (CLP) : H225 - Highly flammable liquid and vapour.

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P261 - Avoid breathing vapours.

P280 - Wear protective gloves, protective clothing, eye protection.

P321 - Specific treatment (see supplemental first aid instruction on this label). P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

11/04/2024 (Revision date) EN (English) 1/14

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006

P337+P313 - If eye irritation persists: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
ethanol; ethyl alcohol	CAS-No.: 64-17-5 EC-No.: 200-578-6 EC Index-No.: 603-002-00-5	25 – 50	Flam. Liq. 2, H225 Eye Irrit. 2, H319	
Furaneol / 4-hydroxy-2,5-dimethylfuran-2(3H)-one	CAS-No.: 3658-77-3 EC-No.: 222-908-8	0,1 - 0,9	Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Skin Corr. 1, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317	
acetic acid substance with a Community workplace exposure limit	CAS-No.: 64-19-7 EC-No.: 200-580-7 EC Index-No.: 607-002-00-6	< 0,1	Flam. Liq. 3, H226 Acute Tox. 4 (Dermal), H312 (ATE=1060 mg/kg bodyweight) Skin Corr. 1A, H314 Eye Dam. 1, H318	
isopentyl acetate substance with a Community workplace exposure limit	CAS-No.: 123-92-2 EC-No.: 204-662-3 EC Index-No.: 607-130-00-2 REACH-no: 01-2119548408- 32	< 0,1	Flam. Liq. 3, H226 EUH066	

pecific concentration limits:		
Name	Product identifier	Specific concentration limits (%)
acetic acid	CAS-No.: 64-19-7 EC-No.: 200-580-7 EC Index-No.: 607-002-00-6	$(10 \le C < 25)$ Skin Irrit. 2, H315 $(10 \le C < 25)$ Eye Irrit. 2, H319 $(25 \le C < 90)$ Skin Corr. 1B, H314 $(90 \le C \le 100)$ Skin Corr. 1A, H314

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Rinse skin with water/shower. Take off immediately all contaminated clothing. If skin

irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

6.00) to 0.00 to 0.00

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

11/04/2024 (Revision date) EN (English) 2/14

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : May cause an allergic skin reaction.

Symptoms/effects after eye contact : Eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Highly flammable liquid and vapour.

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with

skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further

information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers

or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks,

open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Avoid contact with skin and

eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.

Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash

contaminated clothing before reuse. Do not eat, drink or smoke when using this

product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ground/bond container and receiving equipment.

Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed.

Switzerland

Storage class (LK) : LK 3 - Flammable liquids

11/04/2024 (Revision date) EN (English) 3/14

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

ethanol; ethyl alcohol (64-17-5)			
France - Occupational Exposure Limits			
Local name	Alcool éthylique		
VME (OEL TWA)	1900 mg/m³		
	1000 ppm		
VLE (OEL C/STEL)	9500 mg/m³		
	5000 ppm		
Remark	Valeurs recommandées/admises		
Regulatory reference	Circulaire du Ministère du travail (réf.: INRS ED 984, 2016)		
isopentyl acetate (123-92-2)			
EU - Indicative Occupational Exposure Limit (IOEL)			
Local name	Isopentylacetate		
IOEL TWA	270 mg/m³		
	50 ppm		
IOEL STEL	540 mg/m³		
	100 ppm		
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC		
France - Occupational Exposure Limits			
Local name	Acétate d'isopentyle		
VME (OEL TWA)	270 mg/m³		
	50 ppm		
VLE (OEL C/STEL)	540 mg/m³		
	100 ppm		
Remark	Valeurs règlementaires contraignantes		
Regulatory reference	Article R4412-149 du Code du travail (réf.: INRS ED 984, 2016; Décret n° 2019-1487; Décret n° 2020-1546; Décret n°2021-434)		
acetic acid (64-19-7)			
EU - Indicative Occupational Exposure Limit (IOEL)			
Local name	Acetic acid		
IOEL TWA	25 mg/m³		
	10 ppm		
IOEL STEL	50 mg/m ³		
	20 ppm		
Regulatory reference	COMMISSION DIRECTIVE (EU) 2017/164		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006

acetic acid (64-19-7)		
France - Occupational Exposure Limits		
Local name Acide acétique		
VME (OEL TWA)	25 mg/m ³	
	10 ppm	
VLE (OEL C/STEL)	50 mg/m ³	
	20 ppm	
Remark Valeurs règlementaires indicatives		
Regulatory reference Circulaire du Ministère du travail (réf.: Arrête du 27 septembre 2019)		

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):







8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : Red to brown.

Odour : Characteristic.

Odour threshold : Not available

Melting point : Not applicable

Freezing point : Not available

Boiling point : > 35 °C

Flammability : Highly flammable liquid and vapour.

Lower explosion limit : Not available Upper explosion limit : Not available

Flash point : 22 °C

Auto-ignition temperature : Not available Decomposition temperature : Not available : Not available Viscosity, kinematic : Not available Solubility : soluble in water. Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available Vapour pressure at 50°C : Not available Density : Not available Relative density : 1,13 (1,11 - 1,15)Relative vapour density at 20°C : Not available Particle characteristics : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Highly flammable liquid and vapour.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11/04/2024 (Revision date) EN (English) 6/14

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006

Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (hinhalation) Book classified (Based on available data, the classification criteria are not met) Consider that the classification criteria are not met) Consider that the classified (Based on available data, the classification criteria are not met) Consider that the classified (Based on available data, the classification criteria are not met) Consider that the classified (Based on available data, the classification criteria are not met) Consider that the classified (Based on available data, the classification criteria are not met) Consider that the classified (Based on available data, the classification criteria are not met) Consider that the classified (Based on available data, the classification criteria are not met) Consider that the classified (Based on available data, the classification criteria are not met) Consider that the classified (Based on available data, the classification criteria are not met) Consider that the classified (Based on available data, the classification criteria are not met) Consider that the classified (Based on available data, the classification criteria are not met) Consider that the classified (Based on available data, the classification criteria are not met) Consider that the classified (Based on available data, the classification criteria are not met) Consider that the classified (Based on available data, the classification criteria are not met) Consider that the classified (Based on available data, the classification criteria are not met) Consider that the classified (Based on available data, the classification criteria are not met) Consider that the classified (Based on available data, the classification criteria are not met) Consider that the classified (Based on available data, the classification criteria are not met) Consider that the classified (Based on available data, the classification criteria ar	SECTION 11: Toxicological information			
Acute toxicity (dermal) Acute toxicity (inhalation) : Not classified (Based on available data, the classification criteria are not met) ethanol; ethyl alcohol (64-17-5) LD50 oral rat 15010 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 14450 - 15560 LD50 oral as 3800 mg/kg bodyweight Animal: mouse isopentyl acetate (123-92-2) LD50 dermal rabbit 5000 mg/kg bodyweight Animal: rabbit 5000 mg/kg bodyweight Animal: rabbit 5000 mg/kg bodyweight Animal: rabbit 5000 oral 4960 mg/kg bodyweight Animal: rat LD50 oral 4960 mg/kg bodyweight Animal: rat LD50 oral 4960 mg/kg bodyweight Animal: rat LD50 dermal rabbit 1060 mg/kg bodyweight Animal: rat LD50 dermal rabbit 1060 mg/kg bodyweight Animal: rat LD50 dermal rabbit 1060 mg/kg Source: HSDB, NITE LC50 Inhalation - Rat (ppm) 16000 ppm Source: ChemiDPlus Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met) acetic acid (64-19-7) pH 2,4 Source: ECHA Serious eye damage/irritation : Causes serious eye irritation. acetic acid (64-19-7) pH 2,4 Source: ECHA Serious eye damage/irritation : May cause an allergic skin reaction. Serm cell mutagenicity : Not classified (Based on available data, the classification criteria are not met) Accordingenicity : Not classified (Based on available data, the classification criteria are not met) 1 - Carcinogenicity : Not classified (Based on available data, the classification criteria are not met) 1 - Carcinogenicity : Not classified (Based on available data, the classification criteria are not met) 1 - Carcinogenic to humans Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met) 1 - Carcinogenic to humans Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met) 1 - Carcinogenic to humans Reproductive toxicity : Not classified (Based on available data, the classification crite	11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008			
ethanol; ethyl alcohol (64-17-5) LD50 oral rat 15010 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% Ct. 14450 - 15560 LD50 oral rat 3300 mg/kg bodyweight Animal: mouse Isopentyl acetate (123-92-2) LD50 dermal rabbit > 5000 mg/kg bodyweight Animal: rat bit acetic acid (64-19-7) LD50 oral rat 3310 mg/kg bodyweight Animal: rat LD50 oral rat 34960 mg/kg bodyweight Animal: rat LD50 oral rat 350 mg/kg bodyweight Animal: rat LD50 oral rat 350 mg/kg bodyweight Animal: rat 150 mg/kg b	Acute toxicity (oral)	: Not classified (Based on available data, the classification criteria are not met)		
tethanol; ethyl alcohol (64-17-5) LD50 oral rat 15010 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% Ct: 14450 - 15560 8300 mg/kg bodyweight Animal: mouse isopentyl acetate (123-92-2) LD50 dermal rabbit > 5000 mg/kg bodyweight Animal: rabbit acetic acid (64-19-7) LD50 oral 3310 mg/kg bodyweight Animal: rat LD50 oral 4960 mg/kg bodyweight Animal: mouse LD50 dermal rabbit 1060 mg/kg bodyweight Animal: mouse LD50 dermal rabbit 1060 mg/kg source: H5D8, NITE LC50 Inhalation - Rat (ppm) 16000 ppm Source: ChemiDPlus Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met) acetic acid (64-19-7) pH 2.4 Source: ECHA Respiratory or skin sensitisation : May cause an allergic skin reaction. acetic acid (64-19-7) pH 2.4 Source: ECHA Respiratory or skin sensitisation : May cause an allergic skin reaction. acetic acid (64-19-7) pH 2.4 Source: ECHA Respiratory or skin sensitisation : May cause an allergic skin reaction. acetic acid (64-19-7) pH 2.4 Source: ECHA Respiratory or skin sensitisation : May cause an allergic skin reaction. acetic acid (64-19-7) pH 2.4 Source: ECHA Respiratory or skin sensitisation : May cause an allergic skin reaction. acetic acid (64-19-7) pH 2.4 Source: ECHA Respiratory or skin sensitisation : May cause an allergic skin reaction. acetic acid (64-19-7) pH 2.4 Source: ECHA Respiratory or skin sensitisation criteria are not met) Carcinogenicity : Not classified (Based on available data, the classification criteria are not met) Exproductive toxicity : Not classified (Based on available data, the classification criteria are not met) **STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met) **STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met) **STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)	,			
15010 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% Ct: 14450 - 15560 1D50 oral 8300 mg/kg bodyweight Animal: mouse 1sopentyl acetate (123-92-2) 1D50 dermal rabbit > 5000 mg/kg bodyweight Animal: rabbit acetic acid (64-19-7) 1D50 oral 3310 mg/kg bodyweight Animal: rabbit 1D50 oral 4960 mg/kg bodyweight Animal: rat 1D50 oral 4960 mg/kg bodyweight Animal: mouse 1D50 dermal rabbit 1060 mg/kg bodyweight Animal: mouse 1D50 dermal rabbit 1060 mg/kg source: H5D8, NITE 1D50 inhalation - Rat (ppm) 16000 ppm Source: ChemiDPlus 1D50 oral 4960 ppm Source: ChemiDPlus 1D50 oral 500 ppm Source: ChemiDPlus 1D50 oral 500 ppm Source: ChemiDPlus 1D50 oral 64-19-7) PH 2.4 Source: ECHA 1D50 ppm Source: CHA 1D50	Acute toxicity (inhalation)	: Not classified (Based on available data, the classification criteria are not met)		
LDSO oral 8300 mg/kg bodyweight Animal: mouse isopentyl acetate (123-92-2) LDSO dermal rabbit > 5000 mg/kg bodyweight Animal: rabbit acetic acid (64-19-7) LDSO oral at 3310 mg/kg bodyweight Animal: rat LDSO oral 4960 mg/kg bodyweight Animal: rat LDSO oral 4960 mg/kg bodyweight Animal: rat LDSO dermal rabbit 1060 mg/kg bodyweight Animal: rat LDSO dermal rabbit 1060 mg/kg bodyweight Animal: mouse LDSO dermal rabbit 1060 mg/kg bodyweight Animal: rat LDSO dermal rabbit 1060 mg/kg bodyweight Animal: rat 2.4 Source: ECHA 2.4 Source: ECHA Respiratory or skin sensitisation 2.4 Source: ECHA Respiratory or skin sensitisation 3.4 Source: ECHA Respiratory or skin sensitisation 3. S	ethanol; ethyl alcohol (64-17-5)			
Sopenty acetate (123-92-2) LD50 dermal rabbit > 5000 mg/kg bodyweight Animal: rabbit	LD50 oral rat			
LD50 dermal rabbit > 5000 mg/kg bodyweight Animal: ratbit acetic acid (64-19-7) LD50 oral rat 3310 mg/kg bodyweight Animal: rat 44960 mg/kg bodyweight Animal: rat 44960 mg/kg bodyweight Animal: mouse 44960 mg/kg bodyweight Animal: mouse 44960 mg/kg Source: HSDB, NITE 46000 ppm Source: ChemiDPlus 5kin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met) acetic acid (64-19-7) pH 2,4 Source: ECHA 5600 see an allergic skin reaction. acetic acid (64-19-7) pH 2,4 Source: ECHA 6800 see an allergic skin reaction. Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met) 6000 see an allergic skin reaction. Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met) 7000 see an allergic skin reaction. Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met) 7000 see an allergic skin reaction. Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met) 7000 see an allergic skin reaction. Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met) 7000 see an allergic skin reaction. Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met) 7000 see an allergic skin reaction. Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met) 7000 see an allergic skin reaction. Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met) 7000 see an allergic skin reaction. Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met) 7000 see an allergic skin reaction. Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met) 7000 see an allergic skin reaction. Germ cell mutagenicity : Not classif	LD50 oral	8300 mg/kg bodyweight Animal: mouse		
acetic acid (64-19-7) LD50 oral	isopentyl acetate (123-92-2)			
LD50 oral rat 3310 mg/kg bodyweight Animal: rat LD50 oral 4960 mg/kg bodyweight Animal: mouse LD50 dermal rabbit 1060 mg/kg Source: HSDB, NITE LC50 Inhalation - Rat (ppm) 16000 ppm Source: ChemIDPlus Skin corrosion/irritation Not classified (Based on available data, the classification criteria are not met) acetic acid (64-19-7) pH 2,4 Source: ECHA Serious eye damage/irritation causes serious eye irritation. acetic acid (64-19-7) pH 2,4 Source: ECHA Respiratory or skin sensitisation i May cause an allergic skin reaction. Germ cell mutagenicity Not classified (Based on available data, the classification criteria are not met) acrainogenicity i Not classified (Based on available data, the classification criteria are not met) acrainogenicity i Not classified (Based on available data, the classification criteria are not met) acrainogenicity i Not classified (Based on available data, the classification criteria are not met) acrainogenicity i Not classified (Based on available data, the classification criteria are not met) acrainogenic to humans Reproductive toxicity Not classified (Based on available data, the classification criteria are not met) acrainogenic to humans acrainogenic to	LD50 dermal rabbit	> 5000 mg/kg bodyweight Animal: rabbit		
LD50 oral 4960 mg/kg bodyweight Animal: mouse LD50 dermal rabbit 1060 mg/kg Source: HSDB, NITE LC50 Inhalation - Rat [ppm] 16000 ppm Source: ChemIDPlus Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met) acetic acid (64-19-7) pH 2,4 Source: ECHA Serious eye damage/irritation : Causes serious eye irritation. acetic acid (64-19-7) pH 2,4 Source: ECHA Respiratory or skin sensitisation : May cause an allergic skin reaction. Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met) carcinogenicity : Not classified (Based on available data, the classification criteria are not met) ethanol; ethyl alcohol (64-17-5) IARC group 1 - Carcinogenic to humans Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met) STOT-single exposure : Not classified (Based on available data, the classification criteria are not met) STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met) Ethanol; ethyl alcohol (64-17-5) LOAEL (oral, rat, 90 days) 3200 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) NOAEL (subchronic, oral, animal/male, 90 days) 4700 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)	acetic acid (64-19-7)			
LD50 dermal rabbit LC50 Inhalation - Rat [ppm] 16000 ppm Source: ChemIDPlus Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met) acetic acid (64-19-7) pH 2,4 Source: ECHA Serious eye damage/irritation : Causes serious eye irritation. acetic acid (64-19-7) pH 2,4 Source: ECHA Respiratory or skin sensitisation : May cause an allergic skin reaction. Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met) carcinogenicity : Not classified (Based on available data, the classification criteria are not met) ethanol; ethyl alcohol (64-17-5) IARC group 1 - Carcinogenic to humans Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met) STOT-single exposure : Not classified (Based on available data, the classification criteria are not met) STOT-single exposure : Not classified (Based on available data, the classification criteria are not met) STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met) STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met) CHARLO (oral, rat, 90 days) 3200 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) NOAEL (oral, rat, 90 days) 4900 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)	LD50 oral rat	3310 mg/kg bodyweight Animal: rat		
LC50 Inhalation - Rat [ppm] 16000 ppm Source: ChemIDPlus Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met) acetic acid (64-19-7) pH 2,4 Source: ECHA Serious eye damage/irritation : Causes serious eye irritation. acetic acid (64-19-7) pH 2,4 Source: ECHA Serious eye irritation. acetic acid (64-19-7) pH 2,4 Source: ECHA Respiratory or skin sensitisation : May cause an allergic skin reaction. Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met) Carcinogenicity : Not classified (Based on available data, the classification criteria are not met) acetic acid (64-17-5) IARC group	LD50 oral	4960 mg/kg bodyweight Animal: mouse		
skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met) acetic acid (64-19-7) pH	LD50 dermal rabbit	1060 mg/kg Source: HSDB, NITE		
pH 2,4 Source: ECHA Serious eye damage/irritation : Causes serious eye irritation. acetic acid (64-19-7) pH 2,4 Source: ECHA Respiratory or skin sensitisation : May cause an allergic skin reaction. Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met) Carcinogenicity : Not classified (Based on available data, the classification criteria are not met) ethanol; ethyl alcohol (64-17-5) IARC group 1 - Carcinogenic to humans Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met) STOT-single exposure : Not classified (Based on available data, the classification criteria are not met) STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met) ethanol; ethyl alcohol (64-17-5) LOAEL (oral, rat, 90 days) 3200 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) NOAEL (subchronic, oral, animal/male, 90 days) 4703 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)	LC50 Inhalation - Rat [ppm]	16000 ppm Source: ChemIDPlus		
pH 2,4 Source: ECHA Serious eye damage/irritation : Causes serious eye irritation. acetic acid (64-19-7) pH 2,4 Source: ECHA Respiratory or skin sensitisation : May cause an allergic skin reaction. Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met) carcinogenicity : Not classified (Based on available data, the classification criteria are not met) ethanol; ethyl alcohol (64-17-5) IARC group	Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met)		
Serious eye damage/irritation : Causes serious eye irritation. acetic acid (64-19-7) pH	acetic acid (64-19-7)			
pH 2,4 Source: ECHA Respiratory or skin sensitisation : May cause an allergic skin reaction. Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met) carcinogenicity : Not classified (Based on available data, the classification criteria are not met) ethanol; ethyl alcohol (64-17-5) IARC group	рН	2,4 Source: ECHA		
PH 2,4 Source: ECHA Respiratory or skin sensitisation : May cause an allergic skin reaction. Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met) Carcinogenicity : Not classified (Based on available data, the classification criteria are not met) ethanol; ethyl alcohol (64-17-5) IARC group	Serious eye damage/irritation	: Causes serious eye irritation.		
Respiratory or skin sensitisation : May cause an allergic skin reaction. Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met) ethanol; ethyl alcohol (64-17-5) IARC group I- Carcinogenic to humans Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met) STOT-single exposure : Not classified (Based on available data, the classification criteria are not met) STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met) ethanol; ethyl alcohol (64-17-5) LOAEL (oral, rat, 90 days) 3200 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) NOAEL (oral, rat, 90 days) 1730 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents), Remarks on results: other:	acetic acid (64-19-7)			
Serm cell mutagenicity : Not classified (Based on available data, the classification criteria are not met) carcinogenicity : Not classified (Based on available data, the classification criteria are not met) cethanol; ethyl alcohol (64-17-5) IARC group	рН	2,4 Source: ECHA		
Carcinogenicity : Not classified (Based on available data, the classification criteria are not met) ethanol; ethyl alcohol (64-17-5) IARC group	Respiratory or skin sensitisation	: May cause an allergic skin reaction.		
tarc group 1 - Carcinogenic to humans Reproductive toxicity 1 - Carcinogenic to humans 2 - Not classified (Based on available data, the classification criteria are not met) 2 - Not classified (Based on available data, the classification criteria are not met) 2 - Not classified (Based on available data, the classification criteria are not met) 2 - Not classified (Based on available data, the classification criteria are not met) 2 - Not classified (Based on available data, the classification criteria are not met) 2 - Not	Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)		
1 - Carcinogenic to humans Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met) STOT-single exposure : Not classified (Based on available data, the classification criteria are not met) STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met) ethanol; ethyl alcohol (64-17-5) LOAEL (oral, rat, 90 days) 3200 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) NOAEL (oral, rat, 90 days) 1730 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents), Remarks on results: other: NOAEL (subchronic, oral, animal/male, 90 days)	Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)		
Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met) STOT-single exposure : Not classified (Based on available data, the classification criteria are not met) STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met) ethanol; ethyl alcohol (64-17-5) LOAEL (oral, rat, 90 days) 3200 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) NOAEL (oral, rat, 90 days) 1730 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents), Remarks on results: other: NOAEL (subchronic, oral, animal/male, 90 days)	ethanol; ethyl alcohol (64-17-5)			
STOT-single exposure : Not classified (Based on available data, the classification criteria are not met) STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met) ethanol; ethyl alcohol (64-17-5) LOAEL (oral, rat, 90 days) 3200 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) NOAEL (oral, rat, 90 days) 1730 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents), Remarks on results: other: NOAEL (subchronic, oral, animal/male, 90 days) 9700 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)	IARC group	1 - Carcinogenic to humans		
STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met) ethanol; ethyl alcohol (64-17-5) LOAEL (oral, rat, 90 days) 3200 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) NOAEL (oral, rat, 90 days) 1730 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents), Remarks on results: other: NOAEL (subchronic, oral, animal/male, 90 days) 9700 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)	Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)		
ethanol; ethyl alcohol (64-17-5) LOAEL (oral, rat, 90 days) 3200 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) NOAEL (oral, rat, 90 days) 1730 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents), Remarks on results: other: NOAEL (subchronic, oral, animal/male, 90 days) < 9700 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)	STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)		
LOAEL (oral, rat, 90 days) 3200 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) NOAEL (oral, rat, 90 days) 1730 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents), Remarks on results: other: NOAEL (subchronic, oral, animal/male, 90 days) < 9700 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)	STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)		
(Repeated Dose 90-Day Oral Toxicity Study in Rodents) NOAEL (oral, rat, 90 days) 1730 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents), Remarks on results: other: NOAEL (subchronic, oral, animal/male, 90 days)	ethanol; ethyl alcohol (64-17-5)			
(Repeated Dose 90-Day Oral Toxicity Study in Rodents), Remarks on results: other: NOAEL (subchronic, oral, animal/male, 90 days) < 9700 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)	LOAEL (oral, rat, 90 days)			
870.3100 (90-Day Oral Toxicity in Rodents)	NOAEL (oral, rat, 90 days)			
NOAEL (subchronic, oral, animal/female, 90 days) > 9400 mg/kg bodyweight Animal; mouse. Animal sex; female, Guideline: FPA OPPTS	NOAEL (subchronic, oral, animal/male, 90 days)			
870.3100 (90-Day Oral Toxicity in Rodents)	NOAEL (subchronic, oral, animal/female, 90 days)	> 9400 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)		
isopentyl acetate (123-92-2)	isopentyl acetate (123-92-2)			
NOAEL (subchronic, oral, animal/female, 90 days) 443,07 mg/kg bodyweight Animal: , Animal sex: female	NOAEL (subchronic, oral, animal/female, 90 days)	443,07 mg/kg bodyweight Animal: , Animal sex: female		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006

acetic acid (64-19-7)		
NOAEL (oral, rat, 90 days)	290 mg/kg bodyweight Animal: rat, Animal sex: male	
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)	
ethanol; ethyl alcohol (64-17-5)		
Viscosity, kinematic	1,488 mm²/s	
isopentyl acetate (123-92-2)		
Viscosity, kinematic	1,176 mm²/s	
acetic acid (64-19-7)		
Viscosity, kinematic	1,015 mm²/s	
11.2. Information on other hazards		

No additional information available

SECTION 12: Ecological information

	-	_		• •
7.	1	10	VI	CITY
14		- 1 -	MI	city

: The product is not considered harmful to aquatic organisms nor to cause long-term Ecology - general

adverse effects in the environment.

Hazardous to the aquatic environment, shortterm (acute)

: Not classified (Based on available data, the classification criteria are not met)

Hazardous to the aquatic environment, longterm (chronic)

: Not classified (Based on available data, the classification criteria are not met)

ethanol; ethyl alcohol (64-17-5)				
LC50 - Fish [1]	14,2 g/l Test organisms (species): Pimephales promelas			
EC50 - Crustacea [1]	> 10000 mg/l Test organisms (species): Daphnia magna			
EC50 96h - Algae [1]	≈ 22000 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)			
ErC50 algae	275 mg/l Source: ECHA			
NOEC (chronic)	9,6 mg/l Test organisms (species): Daphnia magna Duration: '9 d'			
isopentyl acetate (123-92-2)				
LC50 - Fish [1] 22 – 46 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio r				
EC50 - Crustacea [1] 42 mg/l Test organisms (species): other:Daphnia magna STRAUS				
acetic acid (64-19-7)				
LC50 - Fish [1] > 1000 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)				
LC50 - Fish [2] > 300,82 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salm gairdneri)				
EC50 - Crustacea [1] > 1000 mg/l Test organisms (species): Daphnia magna				
EC50 - Crustacea [2] > 300,82 mg/l Test organisms (species): Daphnia magna				
EC50 72h - Algae [1] > 1000 mg/l Test organisms (species): Skeletonema costatum				
> 300,82 mg/l Test organisms (species): Skeletonema costatum				
12.2. Persistence and degradability				

ORGANIC STRAWBERRY FLAVOUR FR-0296	
Persistence and degradability	Not rapidly degradable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006

ethanol; ethyl alcohol (64-17-5)			
Persistence and degradability	Not rapidly degradable		
isopentyl acetate (123-92-2)			
Persistence and degradability	Not rapidly degradable		
acetic acid (64-19-7)			
Persistence and degradability	Not rapidly degradable		
Furaneol / 4-hydroxy-2,5-dimethylfuran-2(3H)-one (3658-77-3)			
Persistence and degradability	Not rapidly degradable		
12.3. Bioaccumulative potential			
ethanol; ethyl alcohol (64-17-5)	ethanol; ethyl alcohol (64-17-5)		
Partition coefficient n-octanol/water (Log Pow)	-0,32 Source: ICSC		
isopentyl acetate (123-92-2)			
Partition coefficient n-octanol/water (Log Pow)	2,13 Source: ICSC		
acetic acid (64-19-7)			
Partition coefficient n-octanol/water (Log Pow)	-0,17 Source: ECHA		

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting

instructions.

Additional information : Flammable vapours may accumulate in the container.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

ADR	IMDG	IATA			
14.1. UN number or ID number					
UN 1197	UN 1197	UN 1197			
14.2. UN proper shipping name					
EXTRACTS, LIQUID	EXTRACTS, LIQUID	Extracts, liquid			
Transport document description					
UN 1197 EXTRACTS, LIQUID, 3, II, (D/E)	UN 1197 EXTRACTS, LIQUID, 3, II	UN 1197 Extracts, liquid, 3, II			
14.3. Transport hazard class(es)					
3	3	3			

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006

ADR	IMDG	IATA
3	3	3
14.4. Packing group		
II	II	11
14.5. Environmental hazards		
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No
No supplementary information available	1	

14.6. Special precautions for user

Overland transport

Classification code (ADR) : F1

Special provisions (ADR) : 601, 640C

Limited quantities (ADR) : 51 Excepted quantities (ADR) : E2 Packing instructions (ADR) : P001 Mixed packing provisions (ADR) : MP19 Portable tank and bulk container instructions : T4

(ADR)

Portable tank and bulk container special

provisions (ADR)

: TP1, TP8

Tank code (ADR) : L1.5BN Vehicle for tank carriage : FL Transport category (ADR) : 2 Special provisions for carriage - Operation (ADR) : S2, S20

Hazard identification number (Kemler No.) : 33

Orange plates

33 1197

: D/E Tunnel restriction code (ADR) EAC code : 3YE

Transport by sea

Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E2 : P001 Packing instructions (IMDG) IBC packing instructions (IMDG) : IBC02 Tank instructions (IMDG) : T4 Tank special provisions (IMDG) : TP1, TP8 : F-E EmS-No. (Fire) EmS-No. (Spillage) : S-D Stowage category (IMDG)

Properties and observations (IMDG) : Usually consist of alcoholic solutions. Miscibility with water depends upon the

composition.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006

Air transport

PCA Excepted quantities (IATA) : E2 PCA Limited quantities (IATA) : Y341 : 1L PCA limited quantity max net quantity (IATA) PCA packing instructions (IATA) : 353 PCA max net quantity (IATA) : 5L CAO packing instructions (IATA) : 364 CAO max net quantity (IATA) : 601 Special provisions (IATA) : A3 ERG code (IATA) : 3L

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

France

Occupational diseases		
Code	Description	
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006

Germany

Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1).

Hazardous Incident Ordinance (12. BImSchV) : Is not subject to the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

SZW-lijst van kankerverwekkende stoffen : ethanol; ethyl alcohol is listed
SZW-lijst van mutagene stoffen : None of the components are listed
SZW-lijst van reprotoxische stoffen - : ethanol; ethyl alcohol is listed

Borstvoeding

SZW-lijst van reprotoxische stoffen – : ethanol; ethyl alcohol is listed

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – : ethanol; ethyl alcohol is listed

Ontwikkeling

Denmark

Class for fire hazard : Class II-1 Store unit : 5 liter

Classification remarks : R10 <H225;H317;H319>; Emergency management guidelines for the storage of

flammable liquids must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact

with the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other in	SECTION 16: Other information		
Abbreviations and acronyms:			
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways		
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road		
ATE	Acute Toxicity Estimate		
BCF	Bioconcentration factor		
BLV	Biological limit value		
BOD	Biochemical oxygen demand (BOD)		
COD	Chemical oxygen demand (COD)		
DMEL	Derived Minimal Effect level		
DNEL	Derived-No Effect Level		
EC-No.	European Community number		
EC50	Median effective concentration		
EN	European Standard		
IARC	International Agency for Research on Cancer		
IATA	International Air Transport Association		
IMDG	International Maritime Dangerous Goods		
LC50	Median lethal concentration		
LD50	Median lethal dose		
LOAEL	Lowest Observed Adverse Effect Level		
NOAEC	No-Observed Adverse Effect Concentration		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006

Abbreviations and acronyms:		
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
РВТ	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
voc	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disrupting properties	

Full text of H- and EUH-statements:		
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
EUH066	Repeated exposure may cause skin dryness or cracking.	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 2	Flammable liquids, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
H225	Highly flammable liquid and vapour.	
H226	Flammable liquid and vapour.	
H302	Harmful if swallowed.	
H312	Harmful in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
Н319	Causes serious eye irritation.	
Skin Corr. 1	Skin corrosion/irritation, Category 1	
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A	
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1A	Skin sensitisation, category 1A	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.