

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 Issue date: 6/28/2021 Revision date: 5/9/2023 Supersedes version of: 6/23/2022 Version: 1.2

SECTION 1. Identification of the substan	co/mixture and of the company/undertaking
1.1. Product identifier	ce/mixture and of the company/undertaking
Product form	: Mixture
Product name	: ORGANIC BLUEBERRY FLAVOUR MY-0184
Product code	: MYRT-MY0184
1.2. Relevant identified uses of the substance	
1.2.1. Relevant identified uses	
Main use category	: Industrial use,Professional use
1.2.2. Uses advised against	
No additional information available	
1.3. Details of the supplier of the safety data	asheet
Sélectarôme SAS 45 Bd Marcel Pagnol PA Aromagrasse FR– 06130 GRASSE FRANCE T 04.93.36.22.22 - F 04.93.40.71.72 reglementaire@selectarome.com	
1.4. Emergency telephone number	
No additional information available	
SECTION 2: Hazards identification 2.1. Classification of the substance or mixtur	70
Classification according to Regulation (EC) No. 12	H226
Flammable liquids, Category 3	
Serious eye damage/eye irritation, Category 2 Full text of H- and EUH-statements: see section 16	H319
Adverse physicochemical, human health and env	ironmental effects
Flammable liquid and vapour. Causes serious eye i	irritation.
2.2. Label elements	
Labelling according to Regulation (EC) No. 1272/2 Hazard pictograms (CLP)	ECLP] E GHS02 GHS07
Signal word (CLP)	: Warning
Hazard statements (CLP)	: H226 - Flammable liquid and vapour. H319 - Causes serious eye irritation.
Precautionary statements (CLP)	 P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P280 - Wear protective gloves, protective clothing, eye protection. P337+P313 - If eye irritation persists: Get medical advice/attention.
2.3. Other hazards	
Contains no PBT/vPvB substances $\geq 0.1\%$ assessed	in accordance with REACH Annex XIII

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures			
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
ethanol; ethyl alcohol	CAS-No.: 64-17-5 EC-No.: 200-578-6 EC Index-No.: 603-002-00-5	15 – 25	Flam. Liq. 2, H225 Eye Irrit. 2, H319
acetic acid substance with a Community workplace exposure limit	CAS-No.: 64-19-7 EC-No.: 200-580-7 EC Index-No.: 607-002-00-6	< 0.1	Flam. Liq. 3, H226 Acute Tox. 4 (Dermal), H312 (ATE=1060 mg/kg bodyweight) Skin Corr. 1A, H314 Eye Dam. 1, H318
isopentyl acetate substance with a Community workplace exposure limit	CAS-No.: 123-92-2 EC-No.: 204-662-3 EC Index-No.: 607-130-00-2 REACH-no: 01-2119548408- 32	< 0.1	Flam. Liq. 3, H226 EUH066
ethyl acetate substance with a Community workplace exposure limit	CAS-No.: 141-78-6 EC-No.: 205-500-4 EC Index-No.: 607-022-00-5	< 0.1	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336 EUH066
n-butyl acetate substance with a Community workplace exposure limit	CAS-No.: 123-86-4 EC-No.: 204-658-1 EC Index-No.: 607-025-00-1	< 0.1	Flam. Liq. 3, H226 STOT SE 3, H336 EUH066

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
acetic acid	CAS-No.: 64-19-7 EC-No.: 200-580-7 EC Index-No.: 607-002-00-6	(10 ≤C < 25) Skin Irrit. 2, H315 (10 ≤C < 25) Eye Irrit. 2, H319 (25 ≤C < 90) Skin Corr. 1B, H314 (90 ≤C ≤ 100) Skin Corr. 1A, H314

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures 4.1. Description of first aid measures		
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.	
First-aid measures after skin contact	: Rinse skin with water/shower. Take off immediately all contaminated clothing.	
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.	
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.	
4.2. Most important symptoms and effects, both acute and delayed		
Symptoms/effects after eye contact	: Eye irritation.	
4.3. Indication of any immediate medical attention and special treatment needed		
Treat symptomatically.		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006

SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.		
5.2. Special hazards arising from the substan	ce or mixture		
Fire hazard	: Flammable liquid and vapour.		
Hazardous decomposition products in case of fire	: Toxic fumes may be released.		
5.3. Advice for firefighters			
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.		
SECTION 6: Accidental release measures			
6.1. Personal precautions, protective equipm	nent and emergency procedures		
6.1.1. For non-emergency personnel	6.1.1. For non-emergency personnel		
Emergency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes.		
6.1.2. For emergency responders			
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".		
6.2. Environmental precautions			
Avoid release to the environment.			
6.3. Methods and material for containment a	and cleaning up		
Methods for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.		
Other information	: Dispose of materials or solid residues at an authorized site.		
C.A. Defense to athen continue			

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Precautions for safe handling	: Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Avoid contact with skin and eyes.		
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.		
7.2. Conditions for safe storage, including any incompatibilities			
Technical measures	: Ground/bond container and receiving equipment.		
Storage conditions	: Store in a well-ventilated place. Keep cool. Keep container tightly closed.		
7.3. Specific end use(s)			

SECTION 8: Exposure controls/personal protection		
8.1. Control parameters		
8.1.1 National occupational exposure and biological limit values		
acetic acid (64-19-7)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	Acetic acid	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006

acetic acid (64-19-7)	
IOEL TWA	25 mg/m³
IOEL TWA [ppm]	10 ppm
IOEL STEL	50 mg/m ³
IOEL STEL [ppm]	20 ppm
Regulatory reference	COMMISSION DIRECTIVE (EU) 2017/164
n-butyl acetate (123-86-4)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	n-Butyl acetate
IOEL TWA	241 mg/m ³
IOEL TWA [ppm]	50 ppm
IOEL STEL	723 mg/m ³
IOEL STEL [ppm]	150 ppm
Regulatory reference	COMMISSION DIRECTIVE (EU) 2019/1831
ethyl acetate (141-78-6)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	Ethyl acetate
IOEL TWA	734 mg/m ³
IOEL TWA [ppm]	200 ppm
IOEL STEL	1468 mg/m ³
IOEL STEL [ppm]	400 ppm
Regulatory reference	COMMISSION DIRECTIVE (EU) 2017/164
isopentyl acetate (123-92-2)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	Isopentylacetate
IOEL TWA	270 mg/m ³
IOEL TWA [ppm]	50 ppm
IOEL STEL	540 mg/m ³
IOEL STEL [ppm]	100 ppm
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection: Safety glasses

8.2.2.2. Skin protection

Skin and body protection: Wear suitable protective clothing

Hand protection:

Protective gloves

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemica	al properties
Physical state	: Liquid
Colour	: Red.
Odour	: Characteristic.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Not applicable
Explosive limits	: Not available
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: 26 °C
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
рН	: Not available
Viscosity, kinematic	: Not available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006

Solubility	: soluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: 1.22 (1.2 – 1.24)
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes No additional information available

9.2.2. Other safety characteristics

l0.1. Reactivity		
lammable liquid and vapour.		
.0.2. Chemical stability		
Stable under normal conditions.		
0.3. Possibility of hazardous reactions		
No dangerous reactions known under normal conditions of use.		
0.4. Conditions to avoid		
Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.		
10.5. Incompatible materials		
No additional information available		
0.6. Hazardous decomposition products		
Inder normal conditions of storage and use, hazardous decomposition products should not be produced.		

SECTION 11: Toxicological information	
11.1. Information on hazard classes as defined i	n Regulation (EC) No 1272/2008
Acute toxicity (oral) :	Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal) :	Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation) :	Not classified (Based on available data, the classification criteria are not met)
ethanol; ethyl alcohol (64-17-5)	
LD50 oral rat	15010 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 14450 - 15560
LD50 oral	8300 mg/kg bodyweight Animal: mouse
ATE CLP (oral)	8300 mg/kg bodyweight
acetic acid (64-19-7)	
LD50 oral rat	3310 mg/kg bodyweight Animal: rat
LD50 oral	4960 mg/kg bodyweight Animal: mouse
LD50 dermal rabbit	1060 mg/kg Source: HSDB, NITE
LC50 Inhalation - Rat [ppm]	16000 ppm Source: ChemIDPlus
ATE CLP (oral)	3310 mg/kg bodyweight
ATE CLP (dermal)	1060 mg/kg bodyweight
ATE CLP (gases)	16000 ppmv/4h

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006

n-butyl acetate (123-86-4)	
LD50 oral rat	3200 ml/kg Source: ECHA
LD50 dermal rabbit	> 17600 mg/kg Source: ECHA
LC50 Inhalation - Rat (Vapours)	1802 mg/l Source: ECHA
ethyl acetate (141-78-6)	
LD50 oral rat	11.3 ml/kg Source: ECHA
LD50 oral	4934 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rabbit	> 20000 mg/kg bodyweight Animal: rabbit, Animal sex: male
ATE CLP (oral)	4934 mg/kg bodyweight
isopentyl acetate (123-92-2)	
LD50 dermal rabbit	> 5000 mg/kg bodyweight Animal: rabbit
Skin corrosion/irritation	Not classified (Based on available data, the classification criteria are not met)
acetic acid (64-19-7)	
рН	2.4 Source: ECHA
n-butyl acetate (123-86-4)	
рН	6.2 Temp.: 20 °C Concentration: (≈)5 g/L
Serious eye damage/irritation	: Causes serious eye irritation.
acetic acid (64-19-7)	
рН	2.4 Source: ECHA
n-butyl acetate (123-86-4)	
рН	6.2 Temp.: 20 °C Concentration: (≈)5 g/L
Respiratory or skin sensitisation	Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
ethanol; ethyl alcohol (64-17-5)	
IARC group	1 - Carcinogenic to humans
Reproductive toxicity	Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)
n-butyl acetate (123-86-4)	
STOT-single exposure	May cause drowsiness or dizziness.
ethyl acetate (141-78-6)	
STOT-single exposure	May cause drowsiness or dizziness.
STOT-repeated exposure	Not classified (Based on available data, the classification criteria are not met)
ethanol; ethyl alcohol (64-17-5)	
LOAEL (oral, rat, 90 days)	3200 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
NOAEL (oral, rat, 90 days)	1730 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents), Remarks on results: other:
NOAEL (subchronic, oral, animal/male, 90 days)	< 9700 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006

870.3100 (90-Day Oral Toxicity in Rodents) acetic acid (64-19-7) NOAEL (oral, rat, 90 days) 290 mg/kg bodyweight Animal: rat, Animal sex: male ethyl acetate (141-78-6) LOAEL (oral, rat, 90 days) 3600 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Or Toxicity Test)			
acetic acid (64-19-7) NOAEL (oral, rat, 90 days) 290 mg/kg bodyweight Animal: rat, Animal sex: male ethyl acetate (141-78-6) LOAEL (oral, rat, 90 days) 3600 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test) NOAEL (oral, rat, 90 days) 3600 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test) NOAEL (oral, rat, 90 days) 900 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test) NOAEL (soubchronic, oral, animal/female, 90 days) 443.07 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test) NOAEL (subchronic, oral, animal/female, 90 days) 443.07 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test) NOAEL (subchronic, oral, animal/female, 90 days) 443.07 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test) NOAEL (subchronic, oral, animal/female, 90 days) 443.07 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test) viscosity, kinematic 1.488 mm²/s acetic acid (64-19-7) Viscosity, kinematic viscosity, kinematic 1.015 mm²/s n-butyl acetate (123-86-4) Viscosity, kinematic viscosity (in mm²/s)' isopentyl acetate (123-92-2) Viscosity, kinematic Viscos	ethanol; ethyl alcohol (64-17-5)		
NOAEL (oral, rat, 90 days) 290 mg/kg bodyweight Animal: rat, Animal sex: male ethyl acetate (141-78-6)	NOAEL (subchronic, oral, animal/female, 90 days)	 > 9400 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents) 	
ethyl acetate (141-78-6) LOAEL (oral, rat, 90 days) 3600 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Ora Toxicity Test) NOAEL (oral, rat, 90 days) 900 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Ora Toxicity Test) isopentyl acetate (123-92-2) 900 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Ora Toxicity Test) NOAEL (subchronic, oral, animal/female, 90 days) 443.07 mg/kg bodyweight Animal: , Animal sex: female Aspiration hazard : Not classified (Based on available data, the classification criteria are not met) ethanol; ethyl alcohol (64-17-5) Viscosity, kinematic 1.488 mm²/s acetic acid (64-19-7) Viscosity, kinematic 1.015 mm²/s n-butyl acetate (123-86-4) Viscosity, kinematic Viscosity, kinematic 0.83 mm²/s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm²/s)' isopentyl acetate (123-92-2) Viscosity, kinematic Viscosity, kinematic 1.176 mm²/s	acetic acid (64-19-7)		
LOAEL (oral, rat, 90 days)3600 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test)NOAEL (oral, rat, 90 days)900 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test)isopentyl acetate (123-92-2)900 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test)NOAEL (subchronic, oral, animal/female, 90 days)443.07 mg/kg bodyweight Animal: , Animal sex: femaleAspiration hazard: Not classified (Based on available data, the classification criteria are not met)ethanol; ethyl alcohol (64-17-5)	NOAEL (oral, rat, 90 days)	290 mg/kg bodyweight Animal: rat, Animal sex: male	
Toxicity Test)NOAEL (oral, rat, 90 days)900 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test)isopentyl acetate (123-92-2)NOAEL (subchronic, oral, animal/female, 90 days)443.07 mg/kg bodyweight Animal: , Animal sex: femaleAspiration hazard: Not classified (Based on available data, the classification criteria are not met)ethanol; ethyl alcohol (64-17-5)Viscosity, kinematic1.488 mm²/sacetic acid (64-19-7)Viscosity, kinematic1.015 mm²/sn-butyl acetate (123-86-4)Viscosity, kinematic0.83 mm²/s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm²/s)'isopentyl acetate (123-92-2)Viscosity, kinematic1.176 mm²/s	ethyl acetate (141-78-6)		
Image: Instant Series	LOAEL (oral, rat, 90 days)	3600 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test)	
NOAEL (subchronic, oral, animal/female, 90 days)443.07 mg/kg bodyweight Animal: , Animal sex: femaleAspiration hazard: Not classified (Based on available data, the classification criteria are not met)ethanol; ethyl alcohol (64-17-5)Viscosity, kinematic1.488 mm²/sacetic acid (64-19-7)Viscosity, kinematic1.015 mm²/sn-butyl acetate (123-86-4)Viscosity, kinematic0.83 mm²/s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm²/s)'isopentyl acetate (123-92-2)Viscosity, kinematic1.176 mm²/s	NOAEL (oral, rat, 90 days)	900 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test)	
Aspiration hazard : Not classified (Based on available data, the classification criteria are not met) ethanol; ethyl alcohol (64-17-5) Viscosity, kinematic 1.488 mm²/s acetic acid (64-19-7) Viscosity, kinematic 1.015 mm²/s n-butyl acetate (123-86-4) Viscosity, kinematic 0.83 mm²/s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm²/s)' isopentyl acetate (123-92-2) 1.176 mm²/s	isopentyl acetate (123-92-2)		
ethanol; ethyl alcohol (64-17-5) Viscosity, kinematic 1.488 mm²/s acetic acid (64-19-7) Viscosity, kinematic 1.015 mm²/s n-butyl acetate (123-86-4) Viscosity, kinematic 0.83 mm²/s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm²/s)' isopentyl acetate (123-92-2) Viscosity, kinematic 1.176 mm²/s	NOAEL (subchronic, oral, animal/female, 90 days)	443.07 mg/kg bodyweight Animal: , Animal sex: female	
Viscosity, kinematic1.488 mm²/sacetic acid (64-19-7)I.015 mm²/sViscosity, kinematic1.015 mm²/sn-butyl acetate (123-86-4)0.83 mm²/s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm²/s)'viscosity, kinematic0.83 mm²/s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm²/s)'isopentyl acetate (123-92-2)1.176 mm²/s	Aspiration hazard :	Not classified (Based on available data, the classification criteria are not met)	
acetic acid (64-19-7) Viscosity, kinematic 1.015 mm²/s n-butyl acetate (123-86-4) Viscosity, kinematic 0.83 mm²/s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm²/s)' isopentyl acetate (123-92-2) Viscosity, kinematic 1.176 mm²/s	ethanol; ethyl alcohol (64-17-5)		
Viscosity, kinematic 1.015 mm²/s n-butyl acetate (123-86-4) Viscosity, kinematic Viscosity, kinematic 0.83 mm²/s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm²/s)' isopentyl acetate (123-92-2) Viscosity, kinematic Viscosity, kinematic 1.176 mm²/s	Viscosity, kinematic	1.488 mm²/s	
n-butyl acetate (123-86-4) Viscosity, kinematic 0.83 mm²/s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm²/s)' isopentyl acetate (123-92-2) Viscosity, kinematic 1.176 mm²/s	acetic acid (64-19-7)		
Viscosity, kinematic 0.83 mm²/s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm²/s)' isopentyl acetate (123-92-2) Viscosity, kinematic 1.176 mm²/s	Viscosity, kinematic	1.015 mm²/s	
isopentyl acetate (123-92-2) Viscosity, kinematic 1.176 mm²/s	n-butyl acetate (123-86-4)		
Viscosity, kinematic 1.176 mm²/s	Viscosity, kinematic	0.83 mm ² /s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm ² /s)'	
	isopentyl acetate (123-92-2)		
11.2. Information on other hazards	Viscosity, kinematic	1.176 mm²/s	
	11.2. Information on other hazards		

SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general :	The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short- : term (acute)	Not classified (Based on available data, the classification criteria are not met)
Hazardous to the aquatic environment, long- : term (chronic)	Not classified (Based on available data, the classification criteria are not met)
Not rapidly degradable	
ethanol; ethyl alcohol (64-17-5)	
LC50 - Fish [1]	14.2 g/l Test organisms (species): Pimephales promelas
EC50 - Crustacea [1]	> 10000 mg/l Test organisms (species): Daphnia magna
EC50 96h - Algae [1]	≈ 22000 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
ErC50 algae	275 mg/l Source: ECHA
NOEC (chronic)	9.6 mg/l Test organisms (species): Daphnia magna Duration: '9 d'
acetic acid (64-19-7)	
LC50 - Fish [1]	> 1000 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006

acetic acid (64-19-7)	
LC50 - Fish [2]	> 300.82 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	> 1000 mg/l Test organisms (species): Daphnia magna
EC50 - Crustacea [2]	> 300.82 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	> 1000 mg/l Test organisms (species): Skeletonema costatum
EC50 72h - Algae [2]	> 300.82 mg/l Test organisms (species): Skeletonema costatum
n-butyl acetate (123-86-4)	
LC50 - Fish [1]	18 mg/l Test organisms (species): Pimephales promelas
EC50 - Crustacea [1]	44 mg/l Test organisms (species): Daphnia sp.
EC50 - Other aquatic organisms [1]	32 mg/l Test organisms (species): Artemia salina
EC50 72h - Algae [1]	674.7 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
NOEC (chronic)	23 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
ethyl acetate (141-78-6)	
LC50 - Fish [1]	230 mg/l Test organisms (species): Pimephales promelas
NOEC (chronic)	2.4 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
isopentyl acetate (123-92-2)	
LC50 - Fish [1]	22 – 46 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	42 mg/l Test organisms (species): other:Daphnia magna STRAUS
12.2. Persistence and degradability	
No additional information available	
12.3. Bioaccumulative potential	
ethanol; ethyl alcohol (64-17-5)	
Partition coefficient n-octanol/water (Log Pow)	-0.32 Source: ICSC
acetic acid (64-19-7)	
Partition coefficient n-octanol/water (Log Pow)	-0.17 Source: ECHA
n-butyl acetate (123-86-4)	
Partition coefficient n-octanol/water (Log Pow)	1.78 Source: HSDB
ethyl acetate (141-78-6)	
Partition coefficient n-octanol/water (Log Pow)	0.73 Source: ICSC
isopentyl acetate (123-92-2)	
Partition coefficient n-octanol/water (Log Pow)	2.13 Source: ICSC
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assessment	
No additional information available	
12.6. Endocrine disrupting properties	
No additional information available	
12.7. Other adverse effects	
No additional information available	

Safety Data Sheet

according to the REACH Regulation	n (EC) 1907/2006	
SECTION 13: Disposal	considerations	
13.1. Waste treatment n		
Waste treatment methods		Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information	:	Flammable vapours may accumulate in the container.
SECTION 14: Transpor		
In accordance with ADR / IN		
ADR	IMDG	ΙΑΤΑ
14.1. UN number or ID	number	
UN 1197	UN 1197	UN 1197
14.2. UN proper shippir	ng name	
EXTRACTS, LIQUID	EXTRACTS, FLAVOURIN LIQUID	G, Extracts, liquid
Transport document descu	ription	
UN 1197 EXTRACTS, LIQUID, 3, III, (D/E)	UN 1197 EXTRACTS, FLAVOURING, LIQUID, 3	UN 1197 Extracts, liquid, 3, III
14.3. Transport hazard	class(es)	
3	3	3
14.4. Packing group		· · · · · · · · · · · · · · · · · · ·
III		111
14.5. Environmental ha	zards	
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No
No supplementary informa	ation available	
14.6. Special precaution	s for user	
Overland transport		
Classification code (ADR) : F1		F1
Special provisions (ADR)	:	601
Limited quantities (ADR) : 51		
Excepted quantities (ADR) : E1		
		P001, IBC03, LP01, R001
		MP19
Portable tank and bulk container instructions : T2 (ADR)		T2
Portable tank and bulk cont provisions (ADR)	tainer special :	TP1
Tank code (ADR) : LGI		LGBF
Vehicle for tank carriage	:	FL

Transport category (ADR)

Special provisions for carriage - Packages (ADR)

Special provisions for carriage - Operation (ADR)

: 3

: V12

: S2

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006

Hazard identification number (Kemler No.) Orange plates	: 30 : 30 1197
Tunnel restriction code (ADR)	: D/E
Transport by sea	
Special provisions (IMDG)	: 223, 955
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P001, LP01
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T2
Tank special provisions (IMDG)	: TP1
EmS-No. (Fire)	: F-E
EmS-No. (Spillage)	: S-D
Stowage category (IMDG)	: A
Properties and observations (IMDG)	: Usually consist of alcoholic solutions. Miscibility with water depends upon the composition.

Air transport	
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y344
PCA limited quantity max net quantity (IATA)	: 10L
PCA packing instructions (IATA)	: 355
PCA max net quantity (IATA)	: 60L
CAO packing instructions (IATA)	: 366
CAO max net quantity (IATA)	: 220L
Special provisions (IATA)	: A3
ERG code (IATA)	: 3L

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List) Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List) Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC) Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Ot	her information
Abbreviations ar	nd acronyms:
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
ΙΑΤΑ	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
РВТ	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006

Abbreviations and acronyms:	
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Full text of H- and EUH-statements:	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
EUH066	Repeated exposure may cause skin dryness or cracking.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis
Safety Data Sheet (SDS), E	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.