

SAFETY DATA SHEET
According to Regulation (EC) No. 1907/2006
Version 2 Revision Date 18/Jun/2015

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product Identifier

Product Name: ELDERFLOWER STRONG INFUSION 20% ETHANOL PF
Product Code: EL/25
Index Number: N/A

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Use as a food flavouring ingredient in manufacturing.

Uses advised against: None

1.3 Details of the supplier of the safety data sheet

Company: Ransom Naturals Limited
Address: 53 Bury Mead Road, Hitchin, Herts, SG5 1RT, United Kingdom.

Email contact: Quality@ransomnaturals.com
Telephone / Fax Number: 0044 (0)1462 437615 / 0044 (0)1462 477089

1.4 Emergency Telephone Number

Emergency Telephone Number: 0044 (0)1462 437615 (office hours)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008

Flammable Liquid Category 3, H226

For the full text of H-Statements see Section 16

Primary Effects

Physicochemical: Flammable liquid and vapour.
Human Health: None applicable
Environmental: None applicable

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008

Pictogram:



Signal Word: Warning

Hazard Statement(s): H226: Flammable liquid and vapour.

Precautionary Statement(s):

P210 – Keep away from heat/sparks/open flames/hot surfaces. – No smoking.
P233 – Keep container tightly closed.

SAFETY DATA SHEET
According to Regulation (EC) No. 1907/2006
Version 2 Revision Date 18/Jun/2015

P280 – Wear protective gloves/protective clothing/eye protection/face protection.

2.3 Other hazards

This mixture is not classifiable as PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 based on an assessment of the constituent ingredients.

SECTION 3: Composition/information on ingredients

General compositional description

An extract of elderflower containing 20%v/v Ethanol (CAS No 64-17-5) and water.

Hazardous components according to Regulation (EC) No. 1272/2008

Component <i>Name and identifiers</i>	Classification	Concentration, %w/w
Ethanol Index No. 603-002-00-5	Flam. Liq. 2 – H225 Eye Irrit. 2 – H319	14 - 18

For the full text of H-Statements and R-phrases see Section 16

Section 4: First Aid Measures

4.1 Description of first aid measures

General Advice

Extinguish sources of ignition in the area.

If inhaled

Remove to fresh air, keep warm and at rest. If there are any difficulties with breathing give oxygen. If breathing stops or gives signs of failing apply artificial respiration and seek medical assistance.

In case of skin conduct

Remove contaminated clothing; this should not be worn again until it has been laundered. Wash contaminated skin with soap and water.

In case of eye contact

Rinse eyes with water and remove contact lenses if possible. Irrigate eyes with water or eye wash solution for at least fifteen minutes. If discomfort persists seek medical assistance.

If swallowed

Wash mouth out thoroughly with water. Do not induce vomiting. If a significant quantity (>250ml) has been ingested seek medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Ingestion: Ethanol taken to excess will cause depression of the central nervous system, indicated by nausea, vomiting, muscular incoordination, visual impairment and loss of consciousness. Aspiration during swallowing or vomiting will damage lungs.

4.3 Indication of any immediate medical attention and special treatment needed

For ingestion treat as alcohol poisoning.

SAFETY DATA SHEET
According to Regulation (EC) No. 1907/2006
Version 2 Revision Date 18/Jun/2015

SECTION 5: Firefighting Measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, AFFF foam, chemical dry powder or carbon dioxide.

Unsuitable extinguishing media

None.

5.2 Special hazards arising from the substance or mixture

May produce carbon monoxide on burning.

5.3 Advice for firefighters

No specific information; use normal personal protective equipment.

5.4 Further information

None.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment, and emergency procedures

Extinguish sources of ignition, and ventilate area. For large scale spillages evacuate area. Wear personal protective equipment as directed in Section 8.

6.2 Environmental precautions

Do not allow product to enter drains and watercourses. Inform local authority and fire service if preparation enters drains or watercourses.

6.3 Methods and material for containment and cleaning up

Use non-sparking tools. Absorb spillage using a proprietary absorbent or sand, scoop up and place in a suitable container; remove to a safe place and dispose of through a licensed waste disposal contractor for incineration. For large scale spillage use absorbent booms to contain the spillage.

6.4 Reference to other sections

For personal protective equipment required see Section 8; for disposal information see Section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

SAFETY DATA SHEET
According to Regulation (EC) No. 1907/2006
Version 2 Revision Date 18/Jun/2015

7.2 Conditions for safe storage, including any incompatibilities

Store in well closed containers away from direct sunlight, heat and sources of ignition at ambient temperature.

7.3 Specific end use(s)

No specific guidance relevant.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components with Occupational Exposure Limits

The following components have limits set in EH/40/2005 (Second Edition, 2011):

Ethanol, CAS 64-17-5, Long Term Exposure Limit (8hr TWA) 1000ppm, 1920mg/m³.

8.2 Exposure controls

Appropriate engineering controls

Local exhaust ventilation.

Individual protection measures, including personal protective equipment

Eye/face protection

Wear goggles or face-shield.

Skin protection

Hand protection

Wear protective gloves. Nitrile rubber or PVC are suitable.

Other body protection

None required

Respiratory protection

Use an appropriate CEN approved organic vapour mask or self-contained breathing apparatus if vapour or mist is likely to be present.

Environmental exposure controls

None applicable.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a)	Appearance	A yellow-brown mobile liquid.
b)	Odour	Characteristic odour.
c)	Odour threshold	No test data.
d)	pH	5.0 – 6.0
e)	Melting/freezing point	No test data.
f)	Initial boiling point and boiling range	>78 to 100°C
g)	Flash point	35°C (Closed cup)
h)	Evaporation rate	No test data.
i)	Flammability (solid,gas)	Not applicable.

SAFETY DATA SHEET
According to Regulation (EC) No. 1907/2006
Version 2 Revision Date 18/Jun/2015

j)	Upper/lower flammability or explosive limits	Ethanol: Lower Limit 3.5%v/v; Upper Limit 19.0%v/v
k)	Vapour pressure	No test data.
l)	Vapour density	No test data.
m)	Relative Density	0.97 – 1.01g/ml at 20°C
n)	Solubility in	Water
o)	Partition coefficient: n-octanol/water	Ethanol: Log Pow = -0.32
p)	Auto-ignition temperature	No test data.
q)	Decomposition temperature	No test data.
r)	Viscosity	No test data - Mobile liquid.
s)	Explosive properties	No test data.
t)	Oxidising properties	None applicable.

9.2 Other information

None applicable.

SECTION 10: Stability and reactivity

10.1 Reactivity

No known specific reactivity hazards.

10.2 Chemical Stability

Stable under all expected conditions of storage and handling.

10.3 Possibility of hazardous reactions

None relevant.

10.4 Conditions to avoid

None applicable.

10.5 Incompatible materials

Strong oxidising agents.

10.6 Hazardous decomposition products

None applicable.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Based on available data on the hazardous constituents identified in Section 3, the classification criteria are not met.

Irritation

Based on available data on the hazardous constituents identified in Section 3, the classification criteria are not met.

Corrosivity

Based on available data on the hazardous constituents identified in Section 3, the classification criteria are not met.

Sensitisation

Based on available data on the hazardous constituents identified in Section 3, the classification criteria are not met.

Repeated dose toxicity

Based on available data on the hazardous constituents identified in Section 3, the classification criteria are not met.

Carcinogenicity

Based on available data on the hazardous constituents identified in Section 3, the classification criteria are not met.

Mutagenicity

Based on available data on the hazardous constituents identified in Section 3, the classification criteria are not met.

Toxicity for reproduction

Based on available data on the hazardous constituents identified in Section 3, the classification criteria are not met.

Additional information

None applicable.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish	No data available for product. No constituents are classified with respect to toxicity to fish.
Toxicity to Daphnia and other aquatic invertebrates	No data available for product. No constituents are classified with respect to toxicity to aquatic invertebrates.
Toxicity to algae	No data available for product. No constituents are classified with respect to toxicity to algae.

12.2 Persistence and degradability

Based on available data on the hazardous constituents identified in Section 3, the product is expected to readily biodegrade.

12.3 Bioaccumulative potential

Based on available data on the hazardous constituents identified in Section 3, the product is unlikely to bioaccumulate.

12.4 Mobility in soil

For the hazardous constituents identified in Section 3:
Ethanol is expected to have a very high mobility in soil.

12.5 Results of PBT and vPvB assessment

The mixture contains no constituents which are classified as PBT or vPvB.

12.6 Other adverse affects

No information.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Dispose of product through a suitable licenced waste disposal contractor.

Contaminated packaging

Rinse containers and send for recycling.

SECTION 14: Transport Information

This product is classified as non-hazardous for transportation by all modes under Special Provisions:

ADR (Road) /IMDG (Sea): Special Provision 144

IATA (Air): Special Provision A58

SECTION 15: Regulatory information

This safety data sheet has been compiled in accordance with the requirements of Regulation (EC) No. 1907/2006.

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

None applicable.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this product.

SECTION 16: Other information

Changes made in this update to the safety data sheet

Full update of the Safety Data Sheet to bring in line with the requirements of Regulation (EC) No. 1907/2006. All sections have been updated.

References used in compilation of this safety data sheet

Regulation (EC) No. 1907/2006 on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

Regulation (EC) No. 1272/2008 on classification, labelling, and packaging (CLP) of substances and mixtures.

European Agreement Concerning the International Carriage of Dangerous Goods by Road (ADR) 2015 Edition

International Maritime Dangerous Goods Code 2014 Edition

IATA Dangerous Goods Regulations 56th Edition 2015

Martindale, 35th edition, pages 1462 (Ethanol), 2160 (Sambucus nigra).

Sax's Dangerous Properties of Industrial Materials, eighth edition, page 1572 EFU000 (Ethyl Alcohol).

C&L Inventory online, ECHA Website.

National Library of Medicine Hazardous Substances Data Bank online, entry for Ethanol.

SAFETY DATA SHEET
According to Regulation (EC) No. 1907/2006
Version 2 Revision Date 18/Jun/2015

Methods of evaluation used for classification of this mixture under Article 9 of Regulation (EC) No. 1272/2008

This safety data sheet has been produced using expert judgement based on the classification of constituents of this product as allowed under Article 9.

Full text of H-statements referred to under other Sections

H226 – Flammable liquid and vapour.

H225 – Highly flammable liquid and vapour.

H319 – Causes serious eye irritation

Training recommended to be carried out prior to use of this material

All staff handling this material must be suitably trained in the safe use of chemicals in the relevant industry/workplace.

The information contained herein is, to the best of our knowledge, true and accurate. Any recommendations or suggestions are made without obligation on our part and the Company can accept no liability to any customer, their employees or any other person whatsoever for any loss, injury or damage whether direct or consequential, which may be caused by an error or omission from this sheet if negligent or otherwise.